



# File Mapping

## Getting Started Guide

Version 1.1

# File Mapping

The File Mapping feature of Yadle is essentially a path replacement to allow files to be opened directly within the Yadle Desktop App and within industry leading applications via Yadle's Integrations.

The concept of File Mapping is best described with an example.

The Yadle agent has been successfully installed on your Linux machine. Next, you mount your network storage device containing your organization's images with mount point **/yadle/Server/images/**.


Assuming that you are a Yadle admin, you will then login to Yadle and add the new File Indexing Path of **/yadle/Server/images/**.

Now this is the path that the agent sees, and will be quite different to the path that Windows, MacOS, and Linux users are presented with.

The same directory could be mounted on the different operating systems as...

**Windows:** Z:\\Server\\images  
**MacOS:** /Volumes/Server/images  
**Linux:** /Server/images

## \*Visual Representation




# Configure File Mapping

## Step 1:

Click on **Devices & Cloud** on under Admin menu.

## Step 2:

Click **Manage** for the device you want to configure File Mapping for.




## Step 3:

Click the **Settings** tab at the top.

## Step 4:

For the Indexing Path you want to configure File Mapping, select the **Network** box.



### Step 5:

You will be presented with empty fields for Windows, MacOS, and Linux respectively.

### Step 6:

Enter the appropriate path replacement. Any changes are automatically saved.

